## **EAST Search History**

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	715/962.ccls. and @pd> "20081027"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/05 18:40
L2	29	compar\$3 same (configuration file) same stor\$3 same creat\$3 same information same GUI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/05 18:40
S1	54	("4589063"   "4864492"   "5220654"   "5267387"   "5261042"   "5265241"   "5353432"   "5394522"   "5428791"   "5452415"   "5500934"   "5515524"   "5517646"   "5740436"   "5787246"   "5819042"   "5825361"   "5838907"   "6119185"   "62663382"   "6266675"   "6343360"   "6349274"   "6405309"   "6513045"   6757424"   "6650648") .PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR OR	ON	2007/02/14 12:37
S2	2	"6880107".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 08:49
S3	2	"6598057".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 08:49
S6	13	("6711645" "6058445" "6105089" "6046742" "6134614" "6151023").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/02/14 12:46

S7	15	compar\$3 same (configuration file) same stor\$3 same creat\$3 same information same GUI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 09:55
S8	1554	compar\$3 with (configuration database file) same creat\$3 same new	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 10:38
S9	276	compar\$3 with (configuration database file) same creat\$3 same new same (file and information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 10:39
S10	221	S9 and (action parameter value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 10:40
S11	54	("4589063"   "4864492"   "5220654"   "5257387"   "5261042"   "5265241"   "5353432"   "5394522"   "5428791"   "5452415"   "55153432"   "5515524"   "5517646"   "5740436"   "5787246"   "5819042"   "5825361"   "5838907"   "6119185"   "6263382"   "6266675"   "6343360"   "6349274"   "6405309"   "6513045"   "6578424"   "6650648") FN.	US-PGPUB; USPAT; USPAT; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 12:37
S12	19	S11 and compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 12:37
S13	13	("6711645" "6058445" "6105089" "6046742" "6134614" "6151023").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 12:47

S14	3	\$13 and compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:08
S15	12299	(analyz\$3 audit\$4) with configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 12:55
S16	1999	S15 with information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 12:54
S17	71668	S16 same display (GUI (user adj inerface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 12:53
S18	5	S16 same display same (GUI (user adj inerface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 09:56
S19	107	S15 with information with (different difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 09:56
S20	7959	(analyze analyzing audit \$4) with configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 12:56
S21	70	\$20 with information with (different difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 12:56

S22	53	S21 and network	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 13:29
S23	18	[("20040153869"   "0156294"   "0168182"   "0190105"   "5481741"   "5861882"   "5974254"   "6138270"   "6327617"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 13:30
S24	60	715/962.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 09:55
<b>S2</b> 5	2	"6151567".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:09
S26	2	"7024660".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:09
S27	4	715/962.cds. and @pd>"20070214"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 09:56
S28	3	compar\$3 same (configuration file) same stor\$3 same creat\$3 same information same GUI and @pd>"20070214"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 09:55
S29	13431	(analyz\$3 audit\$4) with configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 09:56

S30	2240	S29 with information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 09:56
S31	1	S30 same display same (GUI (user adj inerface)) and @pd> "20070214"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 09:56
S32	10	\$29 with information with (different difference) and @pd> "20070214"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 09:56
S33	54	apply\$3 with change with configuration with file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17
S34	10	(apply\$3 with change with configuration with file) and (compar\$4 with configuration with file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17
S35	7	715/962 and @pd> "20070807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 14:41
S36	20	compar\$3 same (configuration file) same stor\$3 same creat\$3 same information same GUI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 10:13
S37	967	compar\$3 with configuration with file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 10:14

S38	62	compar\$3 with configuration with file same difference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 10:14
S39	7	compar\$3 with configuration with file same difference and fix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 10:21
S40	3	"764323".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 10:49
S41	1	compar\$3 with configuration with file same difference same error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 10:58
S42	9	compar\$3 with configuration same wizard	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 08:40
S43	25	user with (fix\$3 correct\$3) with (error warning) with parameter same configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 08:52
S44	16	(user adj interface) with (fix\$3 correct\$3) with (error warning) with configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 08:55
S45	2	*20050259590*.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 09:06

S46	2	"6363065".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 09:09
S47	2	"6085335".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 09:11
S48	2	"6259911".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 09:12
S49	720	select\$3 near3 error near3 correct	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 09:51
S50	18	select\$3 near3 error near3 correct same button	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 09:51
S51	12	select\$3 near3 error near3 correct with button	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 09:52
S52	4	select\$3 near3 error near3 correct with button and configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 09:53
S53	O	select\$3 near3 error near3 correct with wizard and configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 09:53

S54	1188	configuration with wizard	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 09:54
S55	19	S54 same (correct\$ fix\$3) with (error problem warning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 09:54
S56	0	non adj conform\$3 with paramenters	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 10:11
\$57	191	non adj conform\$3 with parameters	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 10:14
S58	1	non adj conform\$3 with parameters with configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 10:14
S59	110	non adj conform\$3 with configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 10:15
S60	5	non adj conform\$3 with configuration same error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 10:16
S61	116	compar\$3 with configuration with file with analyz\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 10:17

S62	2	"7051243".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 10:46
S63	1040	spell adj check	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 12:27
S64	1450	spell\$3 adj check	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 12:27
S65	243	spell\$3 adj check with (fix \$3 correct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 12:28
S66	86	spell\$3 adj check with (fix \$3 correct\$3) same (problem error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 12:28
S67	38	spell\$3 adj check with (fix \$3 correct\$3) same (problem error) and (user adj interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 12:29
S68	90	spell\$3 adj check with (fix \$3 correct\$3) and (user adj interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 12:30
S69	11	spell\$3 adj check with (fix \$3 correct\$3) and (user adj interface) and "715"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 12:30

S70	23	spell\$3 adj check with (fix \$3 correct\$3) and (user adj interface) and "715". clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 12:30
S71	13	spell\$3 adj check with (fix \$3 correct\$3) and (user adj interface) and compar \$3 with dictionary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 12:31
S72	553	error adj checker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 13:02
<b>S</b> 73	84	error adj checker near4 (fix\$3 correct\$3 chang\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 13:02
S74	7	error adj checker near4 (fix\$3 correct\$3 chang\$3) same (GUI wizard interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 13:03
S75	84	error adj checker near4 (fix\$3 correct\$3 chang\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 13:04
S76	888	spell adj checker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 13:16
S77	39	spell adj checker with interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 13:16

S78	23	715/962 and @pd> "20080116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:08
S79	2930	(configuration adj file) with parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 06:49
S80	32	(configuration adj file) with parameter with compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 06:49
S81	26	("20030140131"   "20040083290"   "20040158601"   "20040158601"   "5751967"   "6079020"   "6092200"   "6212559"   "6226751"   "6366563"   "6701358"   "6765591"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 07:07
S82	3	"6711645".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 07:47
S83	8	GUi same compar\$3 with (configuration adj file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 07:55
S84	0	715/962.cds. and @pd> "20080731"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 08:00

<sup>12/5/2009 7:26:20</sup> PM

C:\ Documents and Settings\ ajones4\ My Documents\ EAST\ Workspaces\ 1076\ 10764323.wsp